


Version 1.0





# Cooper

Bedside 1 Drawer

# Enjoy

# Your purchase from Australia's Best Value Furniture Store



# Assembly checklist



Read through the instructions carefully before you begin.



Make sure you have all the required tools. Never use power tools unless instructed.



Identify and lay out all of the components before you begin assembly.



Unless instructed, do not fully tighten screws until the item is fully assembled.


### **Useful Information**


- ! Never use power tools unless specifically instructed. They can damage your components or hardware if used incorrectly.
- ! The most common mistakes made during assembly are using the wrong hardware or getting components back to front.
- ! Always use a soft surface (such as carpet or cardboard) when assembling your product to avoid scratching or damaging the surface of the product.
- ! Bulky items such as wardrobes and bunk bed should be assembled in the room they will be used in as they may not fit through a door once assembled.
- ! Never use any glue until you are certain that the parts belong together.
- ! Periodically check and re-tighten all fasteners. Check the product care label or website for product care instructions.
- ! If you are having any difficulties assembling your product, missing any hardware or components please visit our website Help Centre for further assistance.
- ! Please see page 2 for any safety requirements or weight restrictions.



# What You Need


#### To Assemble the Product





Insert 2 x wooden dowels (H3) into the front rail (P5). Insert 2 x wooden dowels (H3) into the back panel (P7).


# Step 2



Fix 5 x cam bolts (H1) to the left side panel (P2) by tightening with a phillips head screwdriver.


Insert 2 x wooden dowels (H3) into the left side panel (P2).





Fix the left runner track (H7) to the left side panel (P2) with 3 x small screws (H9) by tightening with a phillips head screwdriver.


## Step 4



Fix 5 x cam bolts (H1) to the right side panel (P3) by tightening with a phillips head screwdriver.


Insert 2 x wooden dowels (H3) into the right side panel (P3).





Fix the right runner track (H8) to the right side panel (P3) with 3 x small screws (H9) by tightening with a phillips head screwdriver.


# Step 6





Insert cam nuts (H2) into the front rail (P5) and back panel (P7). Rotate the cam nuts (H2) so the arrow is pointing towards the incoming cam bolt (H1).

To fix the front rail (P5) and back panel (P7) to the right side panel (P3), use the phillips head screwdriver to tighten the cam nuts (H2).












Insert 2 x cam nuts (H2) into the shelf (P6) . Rotate the cam nuts (H2) so the arrow is pointing towards the incoming cam bolt (H1).

To fix the shelf (P6) to the right side panel (P3), use the phillips head screwdriver to tighten the cam nuts (H2).

# Step 8








Insert cam nuts (H2) into front rail (P5), shelf (P6) and back panel (P7). Rotate the cam nuts (H2) so the arrow is pointing towards the incoming cam bolt (H1).

To fix the front rail (P5), shelf (P6) and back panel (P7) to the left side panel (P2), use the phillips head screwdriver to tighten the cam nuts (H2).








Fix 7 x cam bolts (H1) to the top panel (P1) by tightening with a phillips head screwdriver.


# Step 10







Fix the top panel rail (P4) to the top panel (P1) with 2 x large screws (H4) by tightening with a phillips head screwdriver.











Insert cam nuts (H2) into the left side panel (P2), the right side panel (P3) and the back panel (P7). Rotate the cam nuts (H2) so the arrow is pointing towards the incoming cam bolt (H1). To fix the left side panel (P2), the right side panel (P3) and the back panel (P7) to the top panel (P1), use the phillips head screwdriver to tighten the cam nuts (H2).


# Step 12







Fix 4 x cam bolts (H1) to the drawer front panel (P8) by tightening with a phillips head screwdriver.










Insert 4 x cam nuts (H2) into the left and right drawer sides (P9, P10), rotate the cam nuts (H2) so the arrow is pointing towards the incoming cam bolt (H1).

To secure the left and rightdrawer sides (P9, P10) to the drawer front (P8), use the phillips head screwdriver to tighten the small cam nuts (H2).


# Step 14



Slide the drawer base (P12) into the grooves of the left and right drawer sides (P9, P10) and the drawer front (P8).









Use 4 x large screws (H4) to fix the drawer back (P11) to the drawer sides (P9, P10), by tightening with the phillips head screwdriver.


# Step 16






Fix the left runner (H5) to the left drawer side (P9) and right runner (H6) to the right drawer side (P10) with 6 x small screws (H9) by tightening with the phillips head screwdriver.





Carefully slide the drawer into the cabinet.




# Job Complete!

In the interest of our environment please dispose of all packing thoughtfully.











# Cooper

King Single Bed

# **Enjoy**

# Your purchase from Australia's Best Value Furniture Store





# **Assembly checklist**



Read through the instructions carefully before you begin.



Make sure you have all the required tools. Never use power tools unless instructed.



Identify and lay out all of the components before you begin assembly.



Unless instructed, do not fully tighten screws until the item is fully assembled.


### **Useful Information**


- ! Never use power tools unless specifically instructed. They can damage your components or hardware if used incorrectly.
- ! The most common mistakes made during assembly are using the wrong hardware or getting components back to front.
- ! Always use a soft surface (such as carpet or cardboard) when assembling your product to avoid scratching or damaging the surface of the product.
- ! Bulky items such as wardrobes and bunk bed should be assembled in the room they will be used in as they may not fit through a door once assembled.
- ! Never use any glue until you are certain that the parts belong together.
- ! Periodically check and re-tighten all fasteners. Check the product care label or website for product care instructions.
- ! If you are having any difficulties assembling your product, missing any hardware or components please visit our website Help Centre for further assistance.



# What You Need


#### **To Assemble the Product**






Please make sure you have all these parts before you start.







Insert 8 x wooden dowels (H4) into the headboard core (P1) and headboard rail (P4) as shown, using a soft head mallet.




Attach 2 x legs (P2 & P3) to the headboard core (P1) and headboard rail (P4). Insert 6 x nuts (H3) into the headboard rail (P4) and headboard core (P1) as shown. Make sure the opening on the nuts (H3) is facing incoming bolts, then insert 6 x large bolts (H2), use the allen key (H5) and turn clockwise to fix.







Connect the 2 x side rails (P5) to the headboard (P1) and footboard (P6), using an allen key (H5), turn 8 x small bolts (H6) clockwise to fix.






# Job Complete!

In the interest of our environment please dispose of all packing thoughtfully.





Version 1.0





# Cooper

Lowboy 3 Drawer



# WARNING: ENSURE THE WALL STRAP IS ATTACHED TO AVOID SERIOUS INJURY.

To avoid any serious or fatal injury, this product has been provided with a wall strap to prevent toppling. We strongly recommend that this product is permanently fixed to the wall or other suitable surface. Fixing devices are not included since different surface materials require different attachments. Please seek professional advice if you are in doubt of what fixing device to use.

# **Enjoy**

Your purchase from

Australia's Best Value Furniture Store





# Assembly checklist



Read through the instructions carefully before you begin.



Make sure you have all the required tools. Never use power tools unless instructed.



Identify and lay out all of the components before you begin assembly.



Unless instructed, do not fully tighten screws until the item is fully assembled.


## **Useful Information**


- ! Never use power tools unless specifically instructed. They can damage your components or hardware if used incorrectly.
- ! The most common mistakes made during assembly are using the wrong hardware or getting components back to front.
- ! Always use a soft surface (such as carpet or cardboard) when assembling your product to avoid scratching or damaging the surface of the product.
- ! Bulky items such as wardrobes and bunk bed should be assembled in the room they will be used in as they may not fit through a door once assembled.
- ! Never use any glue until you are certain that the parts belong together.
- ! Periodically check and re-tighten all fasteners. Check the product care label or website for product care instructions.
- ! If you are having any difficulties assembling your product, missing any hardware or components please visit our website Help Centre for further assistance.
- ! Please see page 2 for any safety requirements or weight restrictions.



# What You Need

#### To Assemble the Product






Insert 2 x wooden dowels (H3) into the front rail (P5).

Insert 2 x wooden dowels (H3) into the middle back support rail (P6).

Insert 2 x wooden dowels (H3) into the bottom back support rail (P7).


# Step 2




Fix 4 x large cam bolts (H1) to the left side panel (P2) by tightening with a phillips head screwdriver.

Insert 2 x wooden dowels (H3) into the left side panel (P2).

FURNITURE PAGE 5




Fix 3 x left runner tracks (H7) to the left side panel (P2) with 9 x wood screws (H11) into the pre-drilled holes by tightening with a phillips head screwdriver.




Fix 4 x large cam bolts (H1) to the right side panel (P3) by tightening with a phillips head screwdriver.

Insert 2 x wooden dowels (H3) into the right side panel (P3).

FURNITURE PAGE 6




Fix 3 x right runner tracks (H8) to the right side panel (P3) with 9 x woodscrews (H11) into the pre-drilled holes by tightening with a phillips head screwdriver.





Insert large cam nuts (H2) into the back support rails (P6, P7). Rotate the cam nuts (H2) so the arrow is pointing towards the incoming cam bolt (H1).

To fix the back support rails (P6, P7) to the right side panel (P3), use the phillips head screwdriver to tighten the cam nuts (H2).











Insert large cam nuts (H2) into the top panel rail (P4) and the front rail (P5). Rotate the cam nuts (H2) so the arrow is pointing towards the incoming cam bolt (H1).

To fix the top panel rail (P4) and front rail (P5) to the right side panel (P3), use the phillips head screwdriver to tighten the cam nuts (H2).


## Step 8






Insert large cam nuts (H2) into the top panel rail (P4), front rail (P5) and back support rail (P6, P7). Rotate the cam nuts (H2) so the arrow is pointing towards the incoming cam bolt (H1).


To fix the top panel rail (P4), front rail (P5) and back support rail (P6, P7) to the left side panel (P2), use the phillips head screwdriver to tighten the cam nuts (H2).






Turn the unit upright carefully, slip 2 x back panels (P8) into the grooves on the side panels (P2) & (P3).


# Step 10






Fix 6 x large cam bolts (H1) to the top panel (P1) by tightening with a phillips head screwdriver.





bolt goes into the open mouth of the cam nut. You then turn the cam nut so it tightens over

This is how a cam nut works..




Insert large cam nuts (H2) into the left side panel (P2) and right side panel (P3). Rotate the cam nuts (H2) so the arrow is pointing towards the incoming cam bolt (H1). To fix the left side panel (P2) and right side panel (P3) to the top panel (P1), use the phillips head screwdriver to tighten the cam nuts (H2).

# Step 12

You will need	
S. Managaman.	
2 x Wood Screws (H4)	Phillips head screwdriver

Fix the top panel rail (P4) to the top panel (P1) with 2 x wood screws (H4) by tightening with a phillips head screwdriver.




### Step 13 (H15) You will need (P8) 3 x Wood Phillips head (P8) Screws (H12) screwdriver (H15) x 4 (H16) x 4 (H12)(P8) 4 x Back Panel 4 x Wood Support (H15) Screws (H16) <sup>®</sup>(H12) x 3 (H15)

Fix the back panels (P8) to back support rail (P6) with 3 x wood screws (H12) by tightening with a phillips head screwdriver.

Fix 4 x back panel supports (H15) to each corner on the back with wood screws (H16) by tightening with a phillips head screwdriver.

# Step 14




Fix 4 x large cam bolts (H1) and 1 x small cam bolts (H5) to the drawer front panel (P9) by tightening with a phillips head screwdriver.


Repeat steps for the other two drawer front panels.



Step 15 x 3









Insert large cam nuts (H2) into the left and right drawer sides (P10 & P11), rotate the large cam nuts (H2) so the arrow is pointing towards the incoming cam bolt (H1).


To secure the left and right drawer sides (P10 & P11) to the drawer front (P9), use the phillips head screwdriver to tighten the large cam nuts (H2).

Repeat steps for the other two drawers.

## Step 16







Insert small cam nuts (H6) into the drawer support rail (P12), rotate the small cam nuts (H6) so the arrow is pointing towards the incoming cam bolt (H5).

To secure the drawer support rail (P12) to the drawer front (P9), use the phillips head screwdriver to tighten the small cam nuts (H6).


Repeat steps for the other two drawers.

FURNITURE PAGE 12

www.fantasticfurniture.com.au

x 3

Step 17 x 3




Slide the drawer base (P14) into the grooves of the drawer sides (P10 & P11) and the drawer front (P9).

Repeat steps for the other two drawers.

## Step 18

x 3


You will need	
(\$) Designation	
18 x Wood Screws (H4)	Phillips head screwdriver




Use wood screws (H4) to fix the drawer back (P13) to drawer sides (P10 & P11) and the drawer support rail (P12), by tightening with the phillips head screwdriver. Repeat steps for the other two drawers.




**Step 19** x 3





Fix the left runner (H9) to the left drawer side (P10) and the right runner (H10) to the right drawer side (P11) with wood screws (H11) by tightening with the phillips head screwdriver. Repeat steps for the other two drawers.

# Step 20




Carefully slide the drawers into the lowboy.

PAGE 14



We strongly advise that you use the wall safety strap provided to prevent the unit toppling.



Fix the wall strap (H13) to the back of the top panel (P1) with a wood screw (H4) and sasher (H14) by tightening with the phillips head screwdriver.

Seek professional advice for how to attach the other end of the wall strap to your wall.





# Job Complete!

In the interest of our environment please dispose of all packing thoughtfully.

