



Version 1.0



TWO PEOPLE



REQUIRED

SAMBA

Bar Stool

www.fantasticfurniture.com.au

Caution

Do not stand on, or use this chair as a step ladder.

Use this product for seating one person at a time.

This product should be checked periodically to ensure all components are secure and all hardware is tight.

RECOMMENDED WEIGHT CAPACITY 120 KG

Enjoy

Your purchase from

Australia's Best Value Furniture Store



Assembly checklist



Read through the instructions carefully before you begin



Make sure you have all the required tools. Never use power tools unless instructed.



Identify and lay out all of the components before you begin assembly.



Unless instructed, do not fully tighten screws until the item is fully assembled.

Useful Information


- ! Never use power tools unless specifically instructed. They can damage your components or hardware if used incorrectly.
- ! The most common mistakes made during assembly are using the wrong hardware or getting components back to front.
- ! Always use a soft surface (such as carpet or cardboard) when assembling your product to avoid scratching or damaging the surface of the product
- ! Bulky items such as wardrobes and bunk beds should be assembled in the room they will be used in as they may not fit through a door once assembled.
- ! Never use any glue until you are certain that the parts belong together.
- ! Periodically check and re-tighten all fasteners. Check the product care label or website for product care instructions.
- ! If you are having any difficulties assembling your product, missing any hardware or components please visit our website Help Centre for further assistance.

What you need


To assemble the product



1 x Allen Key



Seat
(P1)



Frame
(P2)



4xM6*16 Screws
(H1)




4xM6 Washers
(H2)



Step 1


You will need:	
Seat (P1)	
Frame (P2)	



Place seat (P1) on a soft covered surface.
Position Frame(P2) over the seat (P1).

Step 2

4x Screws (H1)	
4x Washers (H2)	
1x Alloy Key (H3)	



Align the holes on the Frame (P2) to the Screw holes of the seat (P1).
Fix Frame (P2) to the Seat (P1) with 4 X Washers (H2) and 4 X Screws (H1).
Fully tighten the bolts using Allen Key (H3).
Turn the chair over carefully.





Job Complete!

In the interest of our environment please dispose of all packaging thoughtfully.